




**DOGHER**  
© TOOLS




637



640



637



641



638



643



639



644

**Inox 20000**



The DOGHER TOOLS stainless steel tools are made of AISI 420. It is a martensitic, temperable and ferromagnetic stainless steel with resistance to corrosion, its tempering process provides the necessary hardness to face the day-to-day work.

Its high chromium content causes it to have excellent corrosion resistance. When it comes into contact with the environment, it naturally generates a protective layer of chromium oxide that protects the surface and regenerates each time the tool is damaged.

Another of the great advantages of Stainless steel, if we compare it with other metals, is its high resistance to extreme temperatures without suffering deterioration or alterations. Moreover, it is the metal that better resists the fire without releasing toxic fumes. On the other hand it can also be applied in winter temperatures without risk of embrittlement or breakage.

DOGHER TOOLS stainless steel tools have excellent ductility, elasticity and hardness that make them ideal for any type of project. Similarly, they have excellent wear resistance.

All these features mean that we can use our Inox DOGHER TOOLS in the following fields:

1. Laboratories, biotechnology, biomedicine, white clean rooms, pharmaceutical...
2. Food process, wet facilities areas
3. Shipbuilding industry, construction, manufacturing, automobile, aeronautics, maritime applications, stations service and energy
4. Chemical industry
5. Desalination plants
6. Offshore (oil-gas)
7. Nuclear power plants



**20025**

5 Drawer Tool Cabinet

**Inox**
**Aisi 304**

 • Drawer Dim.:  
568 x 398 mm

 460 mm  
 846 mm  
 680 mm

| Part N°   | €        |
|-----------|----------|
| 20025-007 | 2.803,54 |

**20025**

7 Drawer Tool Cabinet

**Inox**
**Aisi 304**

 • Drawer Dim.:  
644 x 399 mm

 500 mm  
 998 mm  
 760 mm

| Part N°   | €        |
|-----------|----------|
| 20025-005 | 3.245,49 |

**20266**


Notch-joint Water Pump Plier

**Inox**
**Aisi 420**


| L mm | L" | Ø mm | Part N°   | €      |
|------|----|------|-----------|--------|
| 250  | 10 | 45   | 20266-250 | 151,99 |
| 300  | 12 | 55   | 20266-300 | 215,08 |

**20275**


Curved Jaws Locking Plier without Wire Cutter

**Inox**
**Aisi 420**


| L mm | L" | B mm | A mm | Part N°   | €      |
|------|----|------|------|-----------|--------|
| 225  | 9  | 30   | 12   | 20275-225 | 160,23 |

# Inox

## INOX Professional Series Pliers



**20205**

Professional Combination Plier

Inox

Aisi 420



| L mm | L" | Part N°   | €      |
|------|----|-----------|--------|
| 160  | 6  | 20205-160 | 64,51  |
| 180  | 7  | 20205-180 | 80,81  |
| 200  | 8  | 20205-200 | 103,11 |

**20212**

Professional Diagonal Cutting Plier

Inox

Aisi 420



| L mm | L" | Part N°   | €     |
|------|----|-----------|-------|
| 160  | 6  | 20212-160 | 69,24 |
| 200  | 8  | 20212-200 | 75,38 |

**20213**

Professional Heavy Duty  
Diagonal Cutting Plier

Inox

Aisi 420



| L mm | L" | Part N°   | €      |
|------|----|-----------|--------|
| 200  | 8  | 20213-200 | 104,51 |

**20208**

Professional Long Nose Plier

Inox

Aisi 420



| L mm | L" | Part N°   | €     |
|------|----|-----------|-------|
| 160  | 6  | 20208-160 | 69,67 |
| 200  | 8  | 20208-200 | 80,39 |

**20210**

3 pliers Set Zippering

**3**

Pcs


Inox

Aisi 420



| Part N°   | €      |
|-----------|--------|
| 20210-002 | 219,72 |





**20331**

Straight



Inox

Aisi 420



| A mm | L mm | Part N°       | €     |
|------|------|---------------|-------|
| 3    | 75   | 20331-030-075 | 7,51  |
| 4    | 75   | 20331-040-075 | 9,87  |
| 5    | 100  | 20331-050-100 | 14,76 |
| 6    | 100  | 20331-060-100 | 20,67 |
| 8    | 150  | 20331-080-150 | 25,95 |

**20334**

Phillips



Inox

Aisi 420



|     | L mm | Part N°       | €     |
|-----|------|---------------|-------|
| PH1 | 75   | 20334-PH1-075 | 14,53 |
| PH2 | 100  | 20334-PH2-100 | 19,91 |
| PH3 | 150  | 20334-PH3-150 | 27,70 |

**20330**

Plastic Box

**5**

Pcs



Inox

Aisi 420



Recta



4 • 5 • 6

PH1 • PH2



| Part N°   | €     |
|-----------|-------|
| 20330-002 | 79,73 |

# INOX Screwdriver Bits

1/4" • 30 mm



**20400**

Phillips



Inox

Aisi 420



|     |   | Part N°     | €/    |
|-----|---|-------------|-------|
| PH1 | 5 | 20400-PH1-5 | 20,75 |
| PH2 | 5 | 20400-PH2-5 | 20,75 |
| PH3 | 5 | 20400-PH3-5 | 20,75 |

**20401**

Pozidriv



Inox

Aisi 420



|     |   | Part N°     | €/    |
|-----|---|-------------|-------|
| PZ1 | 5 | 20401-PZ1-5 | 20,75 |
| PZ2 | 5 | 20401-PZ2-5 | 20,75 |
| PZ3 | 5 | 20401-PZ3-5 | 20,75 |


**20402**

Slot



Inox

Aisi 420



| A mm | B mm |   | Part N°     | €/    |
|------|------|---|-------------|-------|
| 4    | 0,8  | 5 | 20402-040-5 | 21,92 |
| 5,5  | 1    | 5 | 20402-055-5 | 21,92 |
| 6,5  | 1,2  | 5 | 20402-065-5 | 21,92 |

**20403**

Torx




Inox

Aisi 420



|     |   | Part N°     | €/    |
|-----|---|-------------|-------|
| T10 | 5 | 20403-T10-5 | 23,43 |
| T15 | 5 | 20403-T15-5 | 23,43 |
| T20 | 5 | 20403-T20-5 | 23,43 |
| T25 | 5 | 20403-T25-5 | 23,43 |
| T30 | 5 | 20403-T30-5 | 23,43 |
| T40 | 5 | 20403-T40-5 | 23,43 |

Effect of stress:




- On the wrench
- On the nut

# Wrenches

## INOX Combination Wrenches

**20451**

Combination Wrench



| A mm | L mm | Part N°  | €     |
|------|------|----------|-------|
| 8    | 120  | 20451-08 | 17,88 |
| 10   | 140  | 20451-10 | 19,27 |
| 11   | 150  | 20451-11 | 21,64 |
| 12   | 160  | 20451-12 | 22,57 |
| 13   | 170  | 20451-13 | 23,52 |
| 14   | 180  | 20451-14 | 24,46 |
| 15   | 190  | 20451-15 | 25,40 |
| 17   | 210  | 20451-17 | 28,22 |
| 19   | 230  | 20451-19 | 33,87 |

**20451**

Plastic Holder



| Part N°   | €      |
|-----------|--------|
| 20451-016 | 129,34 |



| Part N°   | €      |
|-----------|--------|
| 20451-018 | 191,43 |

**20451**

Carton Box



| Part N°   | €      |
|-----------|--------|
| 20451-035 | 104,88 |



| Part N°   | €      |
|-----------|--------|
| 20451-036 | 129,34 |



| Part N°   | €      |
|-----------|--------|
| 20451-038 | 191,43 |


# Inox

## INOX Adjustable Wrench, T-Handles & Key Wrenches



**20493**


Professional Adjustable Wrench



| L mm | L " | mm | Part N°   | €      |
|------|-----|----|-----------|--------|
| 100  | 4   | 15 | 20493-100 | 88,90  |
| 150  | 6   | 20 | 20493-150 | 102,93 |
| 200  | 8   | 25 | 20493-200 | 113,09 |
| 250  | 10  | 30 | 20493-250 | 140,02 |
| 300  | 12  | 36 | 20493-300 | 172,50 |
| 375  | 15  | 47 | 20493-375 | 260,83 |
| 450  | 20  | 60 | 20493-450 | 314,46 |

**20618**


Hex T-Handle



| mm  | L1 mm | Part N°    | €     |
|-----|-------|------------|-------|
| 2   | 90    | 20618-02   | 15,50 |
| 2,5 | 100   | 20618-02,5 | 15,62 |
| 3   | 115   | 20618-03   | 16,50 |
| 4   | 120   | 20618-04   | 18,70 |
| 5   | 140   | 20618-05   | 21,77 |
| 6   | 160   | 20618-06   | 26,29 |
| 8   | 175   | 20618-08   | 34,61 |
| 10  | 200   | 20618-10   | 43,08 |

**20605**


Extra Long Ball Nose Hex Key



| mm  | L1 mm | L2 mm |    | Part N°    | €     |
|-----|-------|-------|----|------------|-------|
| 1,5 | 90    | 14    | 10 | 20605-01,5 | 7,51  |
| 2   | 100   | 15    | 10 | 20605-02   | 7,70  |
| 2,5 | 112   | 18    | 10 | 20605-02,5 | 7,74  |
| 3   | 126   | 20    | 10 | 20605-03   | 9,61  |
| 4   | 142   | 25    | 10 | 20605-04   | 10,05 |
| 5   | 160   | 28    | 10 | 20605-05   | 11,61 |
| 6   | 180   | 32    | 10 | 20605-06   | 11,93 |
| 8   | 200   | 36    | 5  | 20605-08   | 15,33 |
| 10  | 224   | 40    | 5  | 20605-10   | 17,81 |

**20608**

Long Torx Key



| mm  | L1 mm | L2 mm |    | Part N°   | €     |
|-----|-------|-------|----|-----------|-------|
| T10 | 86    | 17    | 10 | 20608-T10 | 13,14 |
| T15 | 90    | 18    | 10 | 20608-T15 | 14,34 |
| T20 | 95    | 19    | 10 | 20608-T20 | 14,35 |
| T25 | 100   | 20    | 10 | 20608-T25 | 14,77 |
| T27 | 105   | 21    | 5  | 20608-T27 | 16,05 |
| T30 | 114   | 24    | 5  | 20608-T30 | 16,36 |
| T40 | 124   | 26    | 5  | 20608-T40 | 17,24 |
| T45 | 137   | 29    | 5  | 20608-T45 | 17,84 |
| T50 | 152   | 32    | 5  | 20608-T50 | 21,26 |

**20531**

Hexagonal



Aisi 420



| mm | L mm | Part N°  | €     |
|----|------|----------|-------|
| 8  | 38   | 20531-08 | 37,44 |
| 10 | 38   | 20531-10 | 38,68 |
| 11 | 38   | 20531-11 | 39,29 |
| 12 | 38   | 20531-12 | 40,53 |
| 13 | 38   | 20531-13 | 42,43 |
| 14 | 38   | 20531-14 | 46,05 |
| 17 | 38   | 20531-17 | 49,75 |
| 19 | 38   | 20531-19 | 54,73 |

**20544**

Ratchet Handle



Aisi 420



| L mm | Part N°   | €      |
|------|-----------|--------|
| 245  | 20544-001 | 167,20 |

**20531**

Hexagonal

8

Pcs



8 • 10 • 11 • 12 • 13 • 14 • 17 • 19

| Part N°   | €      |
|-----------|--------|
| 20531-051 | 348,89 |

**20531**

Hexagonal and Ratchet Handle

9

Pcs



72 teeth

8 • 10 • 11 • 12 • 13 • 14 • 17 • 19

| Part N°   | €      |
|-----------|--------|
| 20531-062 | 516,08 |

### 20701

#### Ball Peen Hammer Fiberglass Handle

Inox

Aisi 420



| g           | L mm | Part N°           | €             |
|-------------|------|-------------------|---------------|
| <b>230</b>  | 285  | <b>20701-230</b>  | <b>40,41</b>  |
| <b>340</b>  | 285  | <b>20701-340</b>  | <b>54,35</b>  |
| <b>450</b>  | 300  | <b>20701-450</b>  | <b>58,52</b>  |
| <b>680</b>  | 325  | <b>20701-680</b>  | <b>104,51</b> |
| <b>910</b>  | 355  | <b>20701-910</b>  | <b>121,23</b> |
| <b>1130</b> | 370  | <b>20701-1130</b> | <b>137,94</b> |

### 20705

#### German Type Hammer Fiberglass Handle

Inox

Aisi 420



| g           | L mm | Part N°           | €             |
|-------------|------|-------------------|---------------|
| <b>1000</b> | 390  | <b>20705-1000</b> | <b>118,43</b> |
| <b>1500</b> | 395  | <b>20705-1500</b> | <b>167,20</b> |
| <b>2000</b> | 400  | <b>20705-2000</b> | <b>214,56</b> |
| <b>2500</b> | 745  | <b>20705-2500</b> | <b>270,31</b> |
| <b>3000</b> | 745  | <b>20705-3000</b> | <b>320,47</b> |
| <b>3600</b> | 750  | <b>20705-3600</b> | <b>383,16</b> |