



**DOGHER**  
® TOOLS  
*Making Solutions*



|                                                                                     |     |                                                                                       |     |
|-------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|-----|
|  | 352 |  | 363 |
|  | 355 |  | 363 |
|  | 357 |  | 364 |
|  | 359 |  | 367 |
|  | 358 |  | 369 |

**Clés Mâles**  
**600**

# Clés Mâles

Clés Mâles


**DOGHER**  
TOOLS

**600**

Hexagonale Courte



CrV



**606**

Torx Courte



CrV



| mm  | L1 mm | L2 mm |    | Part N°  | €      |
|-----|-------|-------|----|----------|--------|
| 1,5 | 45    | 14    | 10 | 600-01,5 | 0,68   |
| 2   | 50    | 16    | 10 | 600-02   | 0,68   |
| 2,5 | 56    | 18    | 10 | 600-02,5 | 0,76   |
| 3   | 63    | 20    | 10 | 600-03   | 0,93   |
| 4   | 70    | 25    | 10 | 600-04   | 0,97   |
| 5   | 80    | 28    | 10 | 600-05   | 1,15   |
| 6   | 90    | 37    | 10 | 600-06   | 1,40   |
| 7   | 95    | 34    | 10 | 600-07   | 1,99   |
| 8   | 100   | 36    | 10 | 600-08   | 2,24   |
| 9   | 105   | 38    | 10 | 600-09   | 2,95   |
| 10  | 112   | 40    | 10 | 600-10   | 3,10   |
| 11  | 127   | 41    | 5  | 600-11   | 4,58   |
| 12  | 125   | 45    | 5  | 600-12   | 5,07   |
| 14  | 140   | 56    | 5  | 600-14   | 6,99   |
| 17  | 160   | 80    | 5  | 600-17   | 11,14  |
| 19  | 180   | 90    | 5  | 600-19   | 16,58  |
| 22  | 210   | 100   | 5  | 600-22   | 27,15  |
| 24  | 250   | 115   | 5  | 600-24   | 50,85  |
| 27  | 270   | 125   | 5  | 600-27   | 75,48  |
| 30  | 310   | 140   | 5  | 600-30   | 88,09  |
| 32  | 345   | 155   | 5  | 600-32   | 124,36 |
| 36  | 385   | 175   | 5  | 600-36   | 177,65 |
| 38  | 378   | 147   | 5  | 600-38   | 228,73 |
| 41  | 400   | 153   | 5  | 600-41   | 279,63 |

| mm  | L1 mm | L2 mm |    | Part N° | €     |
|-----|-------|-------|----|---------|-------|
| T06 | 44    | 19    | 10 | 606-T06 | 5,17  |
| T07 | 44    | 19    | 10 | 606-T07 | 5,17  |
| T08 | 48    | 19    | 10 | 606-T08 | 5,17  |
| T09 | 48    | 19    | 10 | 606-T09 | 5,17  |
| T10 | 50    | 20    | 10 | 606-T10 | 4,14  |
| T15 | 55    | 21    | 10 | 606-T15 | 4,23  |
| T20 | 60    | 23    | 10 | 606-T20 | 4,41  |
| T25 | 67    | 24    | 10 | 606-T25 | 4,45  |
| T27 | 76    | 25    | 10 | 606-T27 | 4,54  |
| T30 | 83    | 30    | 10 | 606-T30 | 4,62  |
| T40 | 93    | 33    | 10 | 606-T40 | 4,78  |
| T45 | 116   | 35    | 10 | 606-T45 | 5,52  |
| T50 | 119   | 40    | 10 | 606-T50 | 6,06  |
| T55 | 133   | 46    | 10 | 606-T55 | 8,55  |
| T60 | 146   | 52    | 10 | 606-T60 | 10,18 |

**SAE**


|  | mm    | L1 mm | L2 mm |  | Part N°         | €            |
|-------------------------------------------------------------------------------------|-------|-------|-------|-------------------------------------------------------------------------------------|-----------------|--------------|
| <b>1/16 "</b>                                                                       | 1,60  | 43,5  | 13,5  | 10                                                                                  | <b>600-1/16</b> | <b>0,66</b>  |
| <b>5/64 "</b>                                                                       | 1,98  | 49    | 15    | 10                                                                                  | <b>600-5/64</b> | <b>0,56</b>  |
| <b>3/32 "</b>                                                                       | 2,36  | 52    | 16    | 10                                                                                  | <b>600-3/32</b> | <b>0,57</b>  |
| <b>1/8 "</b>                                                                        | 3,17  | 56    | 18    | 10                                                                                  | <b>600-1/8</b>  | <b>0,75</b>  |
| <b>5/32 "</b>                                                                       | 3,97  | 63    | 21    | 10                                                                                  | <b>600-5/32</b> | <b>0,89</b>  |
| <b>3/16 "</b>                                                                       | 4,76  | 69    | 23    | 10                                                                                  | <b>600-3/16</b> | <b>1,01</b>  |
| <b>7/32 "</b>                                                                       | 5,56  | 75    | 25    | 10                                                                                  | <b>600-7/32</b> | <b>1,19</b>  |
| <b>1/4 "</b>                                                                        | 6,35  | 82    | 28    | 10                                                                                  | <b>600-1/4</b>  | <b>1,49</b>  |
| <b>5/16 "</b>                                                                       | 7,93  | 94    | 31    | 10                                                                                  | <b>600-5/16</b> | <b>2,47</b>  |
| <b>3/8 "</b>                                                                        | 9,52  | 107   | 34    | 10                                                                                  | <b>600-3/8</b>  | <b>3,58</b>  |
| <b>7/16 "</b>                                                                       | 11,11 | 120   | 37    | 5                                                                                   | <b>600-7/16</b> | <b>5,54</b>  |
| <b>1/2 "</b>                                                                        | 12,70 | 133   | 40    | 5                                                                                   | <b>600-1/2</b>  | <b>6,64</b>  |
| <b>5/8 "</b>                                                                        | 15,87 | 156   | 45,5  | 5                                                                                   | <b>600-5/8</b>  | <b>12,16</b> |
| <b>3/4 "</b>                                                                        | 19,05 | 183   | 53    | 5                                                                                   | <b>600-3/4</b>  | <b>20,44</b> |




• Nous consulter pour présentation brochable

**608**

Torx Longue



Cr-V




**611**

Torx Sécurité Longue



Cr-V



| mm         | L1 mm | L2 mm |    | Part N°        | €            |
|------------|-------|-------|----|----------------|--------------|
| <b>T06</b> | 66    | 16    | 10 | <b>608-T06</b> | <b>5,63</b>  |
| <b>T07</b> | 71    | 16    | 10 | <b>608-T07</b> | <b>5,63</b>  |
| <b>T08</b> | 76    | 16    | 10 | <b>608-T08</b> | <b>5,63</b>  |
| <b>T09</b> | 80    | 16    | 10 | <b>608-T09</b> | <b>5,63</b>  |
| <b>T10</b> | 86    | 17    | 10 | <b>608-T10</b> | <b>4,51</b>  |
| <b>T15</b> | 90    | 18    | 10 | <b>608-T15</b> | <b>4,60</b>  |
| <b>T20</b> | 95    | 19    | 10 | <b>608-T20</b> | <b>4,81</b>  |
| <b>T25</b> | 100   | 20    | 10 | <b>608-T25</b> | <b>4,84</b>  |
| <b>T27</b> | 105   | 21    | 5  | <b>608-T27</b> | <b>4,94</b>  |
| <b>T30</b> | 114   | 24    | 5  | <b>608-T30</b> | <b>5,03</b>  |
| <b>T40</b> | 124   | 26    | 5  | <b>608-T40</b> | <b>6,02</b>  |
| <b>T45</b> | 137   | 29    | 5  | <b>608-T45</b> | <b>6,50</b>  |
| <b>T50</b> | 152   | 32    | 5  | <b>608-T50</b> | <b>7,14</b>  |
| <b>T55</b> | 171   | 35    | 5  | <b>608-T55</b> | <b>10,07</b> |
| <b>T60</b> | 190   | 38    | 5  | <b>608-T60</b> | <b>12,01</b> |

• N.B.: Ajouter "R" au code article pour commander les clés torx extra longues.  
Exemple: 608-T06R

| mm          | L1 mm | L2 mm |    | Part N°         | €            |
|-------------|-------|-------|----|-----------------|--------------|
| <b>TS06</b> | 66    | 16    | 10 | <b>611-TS06</b> | <b>8,44</b>  |
| <b>TS07</b> | 71    | 16    | 10 | <b>611-TS07</b> | <b>8,44</b>  |
| <b>TS08</b> | 79    | 16    | 10 | <b>611-TS08</b> | <b>8,44</b>  |
| <b>TS09</b> | 80    | 16    | 10 | <b>611-TS09</b> | <b>8,44</b>  |
| <b>TS10</b> | 86    | 17    | 10 | <b>611-TS10</b> | <b>6,74</b>  |
| <b>TS15</b> | 90    | 18    | 10 | <b>611-TS15</b> | <b>6,88</b>  |
| <b>TS20</b> | 95    | 19    | 10 | <b>611-TS20</b> | <b>7,17</b>  |
| <b>TS25</b> | 100   | 20    | 10 | <b>611-TS25</b> | <b>7,24</b>  |
| <b>TS27</b> | 105   | 21    | 5  | <b>611-TS27</b> | <b>7,42</b>  |
| <b>TS30</b> | 114   | 24    | 5  | <b>611-TS30</b> | <b>7,52</b>  |
| <b>TS40</b> | 124   | 26    | 5  | <b>611-TS40</b> | <b>7,80</b>  |
| <b>TS45</b> | 137   | 29    | 5  | <b>611-TS45</b> | <b>8,47</b>  |
| <b>TS50</b> | 152   | 32    | 5  | <b>611-TS50</b> | <b>9,28</b>  |
| <b>TS55</b> | 171   | 35    | 5  | <b>611-TS55</b> | <b>13,13</b> |
| <b>TS60</b> | 190   | 38    | 5  | <b>611-TS60</b> | <b>15,61</b> |



• Nous consulter pour présentation brochable

# Clés Mâles

Clés Mâles



**602**


Hexagonale Extra-Longue



| mm  | L1 mm | L2 mm |    | Part N°  | €     |
|-----|-------|-------|----|----------|-------|
| 1,5 | 90    | 14    | 10 | 602-01,5 | 0,88  |
| 2   | 100   | 15    | 10 | 602-02   | 0,90  |
| 2,5 | 112   | 18    | 10 | 602-02,5 | 1,04  |
| 3   | 126   | 20    | 10 | 602-03   | 1,41  |
| 4   | 142   | 25    | 10 | 602-04   | 1,62  |
| 5   | 160   | 28    | 10 | 602-05   | 1,92  |
| 6   | 180   | 32    | 10 | 602-06   | 2,26  |
| 7   | 190   | 34    | 10 | 602-07   | 3,27  |
| 8   | 200   | 36    | 10 | 602-08   | 3,78  |
| 9   | 210   | 38    | 5  | 602-09   | 4,76  |
| 10  | 224   | 40    | 5  | 602-10   | 5,35  |
| 12  | 250   | 45    | 5  | 602-12   | 8,46  |
| 14  | 280   | 55    | 5  | 602-14   | 10,06 |

**605**

Hexagonale Extra-Longue Tête Sphérique



| mm  | L1 mm | L2 mm |    | Part N°  | €     |
|-----|-------|-------|----|----------|-------|
| 1,5 | 90    | 14    | 10 | 605-01,5 | 1,56  |
| 2   | 100   | 15    | 10 | 605-02   | 2,00  |
| 2,5 | 112   | 18    | 10 | 605-02,5 | 1,94  |
| 3   | 126   | 20    | 10 | 605-03   | 1,99  |
| 4   | 142   | 25    | 10 | 605-04   | 2,33  |
| 5   | 160   | 28    | 10 | 605-05   | 2,99  |
| 6   | 180   | 32    | 10 | 605-06   | 4,19  |
| 7   | 190   | 34    | 10 | 605-07   | 5,43  |
| 8   | 200   | 36    | 5  | 605-08   | 5,90  |
| 10  | 224   | 40    | 5  | 605-10   | 7,63  |
| 12  | 250   | 45    | 5  | 605-12   | 11,98 |
| 14  | 280   | 55    | 5  | 605-14   | 14,21 |

## SAE

|       | mm    | L1 mm | L2 mm |    | Part N°  | €     |
|-------|-------|-------|-------|----|----------|-------|
| 1/16" | 1,60  | 89    | 13    | 10 | 605-1/16 | 1,32  |
| 5/64" | 1,98  | 99    | 15    | 10 | 605-5/64 | 1,32  |
| 3/32" | 2,36  | 110   | 17    | 10 | 605-3/32 | 1,67  |
| 1/8"  | 3,17  | 124   | 19    | 10 | 605-1/8  | 1,78  |
| 5/32" | 3,97  | 138   | 23,5  | 10 | 605-5/32 | 2,53  |
| 3/16" | 4,76  | 158   | 28    | 10 | 605-3/16 | 3,04  |
| 7/32" | 5,56  | 170   | 29    | 10 | 605-7/32 | 3,08  |
| 1/4"  | 6,35  | 178   | 31    | 10 | 605-1/4  | 3,75  |
| 5/16" | 7,93  | 196   | 35    | 10 | 605-5/16 | 6,15  |
| 3/8"  | 9,52  | 220   | 37    | 10 | 605-3/8  | 9,41  |
| 7/16" | 11,11 | 234   | 38    | 5  | 605-7/16 | 14,35 |
| 1/2"  | 12,70 | 247   | 41    | 5  | 605-1/2  | 14,35 |
| 5/8"  | 15,87 | 316   | 47    | 5  | 605-5/8  | 36,59 |
| 3/4"  | 19,05 | 355   | 54    | 5  | 605-3/4  | 53,75 |



• Nous consulter pour présentation brochable




**601**

Hexagonale Courte



CrV

OX



| mm         | L1 mm | L2 mm |    | Part N°         | €            |
|------------|-------|-------|----|-----------------|--------------|
| <b>1,5</b> | 45    | 14    | 10 | <b>601-01,5</b> | <b>0,71</b>  |
| <b>2</b>   | 50    | 16    | 10 | <b>601-02</b>   | <b>0,73</b>  |
| <b>3</b>   | 63    | 20    | 10 | <b>601-03</b>   | <b>0,95</b>  |
| <b>4</b>   | 70    | 25    | 10 | <b>601-04</b>   | <b>1,11</b>  |
| <b>5</b>   | 80    | 28    | 10 | <b>601-05</b>   | <b>1,23</b>  |
| <b>6</b>   | 90    | 32    | 10 | <b>601-06</b>   | <b>1,46</b>  |
| <b>7</b>   | 95    | 34    | 10 | <b>601-07</b>   | <b>2,02</b>  |
| <b>8</b>   | 100   | 36    | 10 | <b>601-08</b>   | <b>2,29</b>  |
| <b>10</b>  | 112   | 40    | 10 | <b>601-10</b>   | <b>3,00</b>  |
| <b>12</b>  | 125   | 45    | 5  | <b>601-12</b>   | <b>5,08</b>  |
| <b>14</b>  | 140   | 56    | 5  | <b>601-14</b>   | <b>9,68</b>  |
| <b>17</b>  | 160   | 63    | 5  | <b>601-17</b>   | <b>14,05</b> |


**610**

Hexagonale Longue Tête Sphérique



CrV

OX



| mm         | L1 mm | L2 mm |    | Part N°         | €           |
|------------|-------|-------|----|-----------------|-------------|
| <b>1,5</b> | 90    | 5,5   | 10 | <b>610-01,5</b> | <b>2,79</b> |
| <b>2</b>   | 100   | 7     | 10 | <b>610-02</b>   | <b>2,85</b> |
| <b>2,5</b> | 111   | 8,3   | 10 | <b>610-02,5</b> | <b>3,02</b> |
| <b>3</b>   | 125   | 11,5  | 10 | <b>610-03</b>   | <b>3,21</b> |
| <b>4</b>   | 140   | 13,5  | 10 | <b>610-04</b>   | <b>3,56</b> |
| <b>5</b>   | 160   | 16    | 10 | <b>610-05</b>   | <b>4,10</b> |
| <b>6</b>   | 180   | 18,5  | 10 | <b>610-06</b>   | <b>4,63</b> |
| <b>8</b>   | 200   | 25    | 10 | <b>610-08</b>   | <b>5,58</b> |
| <b>10</b>  | 225   | 28    | 10 | <b>610-10</b>   | <b>7,66</b> |

**607**

Hexagonale Extra-Longue Tête Sphérique



CrV

OX



| mm         | L1 mm | L2 mm |    | Part N°         | €            |
|------------|-------|-------|----|-----------------|--------------|
| <b>1,5</b> | 90    | 14    | 10 | <b>607-01,5</b> | <b>1,42</b>  |
| <b>2</b>   | 100   | 15    | 10 | <b>607-02</b>   | <b>1,61</b>  |
| <b>2,5</b> | 112   | 18    | 10 | <b>607-02,5</b> | <b>1,69</b>  |
| <b>3</b>   | 126   | 20    | 10 | <b>607-03</b>   | <b>1,75</b>  |
| <b>4</b>   | 142   | 25    | 10 | <b>607-04</b>   | <b>2,06</b>  |
| <b>5</b>   | 160   | 28    | 10 | <b>607-05</b>   | <b>2,62</b>  |
| <b>6</b>   | 180   | 32    | 10 | <b>607-06</b>   | <b>3,71</b>  |
| <b>8</b>   | 200   | 36    | 10 | <b>607-08</b>   | <b>5,20</b>  |
| <b>10</b>  | 224   | 40    | 5  | <b>607-10</b>   | <b>6,74</b>  |
| <b>12</b>  | 250   | 45    | 5  | <b>607-12</b>   | <b>11,14</b> |
| <b>14</b>  | 280   | 55    | 5  | <b>607-14</b>   | <b>13,09</b> |




# Clés Mâles

Clés Mâles



605

Hexagonale Extra-Longue Tête Sphérique



| mm  | L1 mm | L2 mm |    | Part N°      | €     |
|-----|-------|-------|----|--------------|-------|
| 1,5 | 91    | 15    | 10 | 605-069-01,5 | 2,74  |
| 2   | 101   | 17    | 10 | 605-069-02   | 2,90  |
| 2,5 | 112   | 20    | 10 | 605-069-02,5 | 3,05  |
| 3   | 127   | 22    | 10 | 605-069-03   | 3,38  |
| 4   | 141   | 29    | 10 | 605-069-04   | 4,19  |
| 5   | 161   | 33    | 10 | 605-069-05   | 4,59  |
| 6   | 185   | 37    | 10 | 605-069-06   | 5,39  |
| 8   | 200   | 44    | 10 | 605-069-08   | 7,81  |
| 10  | 230   | 49    | 10 | 605-069-10   | 11,74 |

608

Torx Extra-Longue



| mm  | L1 mm | L2 mm |    | Part N°     | €    |
|-----|-------|-------|----|-------------|------|
| T10 | 88    | 20    | 10 | 608-069-T10 | 3,65 |
| T15 | 103   | 21    | 10 | 608-069-T15 | 3,83 |
| T20 | 112   | 23    | 10 | 608-069-T20 | 4,00 |
| T25 | 126   | 24    | 10 | 608-069-T25 | 4,43 |
| T27 | 144   | 26    | 10 | 608-069-T27 | 4,85 |
| T30 | 162   | 32    | 10 | 608-069-T30 | 5,13 |
| T40 | 180   | 38    | 10 | 608-069-T40 | 6,26 |
| T45 | 198   | 44    | 10 | 608-069-T45 | 7,56 |
| T50 | 220   | 49    | 10 | 608-069-T50 | 9,75 |

**6010**

Hexagonale Courte VDE



**6080**

Torx Longue VDE



| mm        | L1 mm | L2 mm |   | Part N°        | €            |
|-----------|-------|-------|---|----------------|--------------|
| <b>3</b>  | 63    | 20    | 1 | <b>6010-03</b> | <b>15,71</b> |
| <b>4</b>  | 70    | 25    | 1 | <b>6010-04</b> | <b>16,48</b> |
| <b>5</b>  | 80    | 28    | 1 | <b>6010-05</b> | <b>18,09</b> |
| <b>6</b>  | 90    | 32    | 1 | <b>6010-06</b> | <b>19,64</b> |
| <b>8</b>  | 100   | 36    | 1 | <b>6010-08</b> | <b>21,70</b> |
| <b>10</b> | 112   | 40    | 1 | <b>6010-10</b> | <b>25,69</b> |
| <b>12</b> | 125   | 45    | 1 | <b>6010-12</b> | <b>35,00</b> |

• DIN EN 60900

| mm         | L1 mm | L2 mm |   | Part N°         | €            |
|------------|-------|-------|---|-----------------|--------------|
| <b>T10</b> | 130   | 24    | 1 | <b>6080-T10</b> | <b>15,71</b> |
| <b>T15</b> | 140   | 40    | 1 | <b>6080-T15</b> | <b>16,48</b> |
| <b>T20</b> | 140   | 40    | 1 | <b>6080-T20</b> | <b>18,09</b> |
| <b>T25</b> | 160   | 45    | 1 | <b>6080-T25</b> | <b>19,64</b> |
| <b>T27</b> | 160   | 45    | 1 | <b>6080-T27</b> | <b>21,70</b> |
| <b>T30</b> | 180   | 47    | 1 | <b>6080-T30</b> | <b>25,69</b> |
| <b>T40</b> | 200   | 50    | 1 | <b>6080-T40</b> | <b>35,00</b> |
| <b>T45</b> | 200   | 50    | 1 | <b>6080-T45</b> | <b>39,53</b> |
| <b>T50</b> | 200   | 50    | 1 | <b>6080-T50</b> | <b>44,66</b> |

# Clés Mâles

Jeux de Clés Mâles



**600**

Hexagonale Courte

**7**  
Pcs



1,5•2•2,5•3•4•5•6 mm

| Part N° | €    |
|---------|------|
| 600-007 | 8,40 |

**603**

Hexagonale Courte Tête Sphérique

**7**  
Pcs



1,5•2•2,5•3•4•5•6 mm

| Part N° | €     |
|---------|-------|
| 603-007 | 11,06 |

**606**

Torx Courte

**7**  
Pcs




T10•T15•T20•T25•T27•T30•T40

| Part N° | €     |
|---------|-------|
| 606-007 | 16,75 |

**609**

Torx Sécurité Courte

**7**  
Pcs



TS10•TS15•TS20•TS25•TS27•TS30•TS40

| Part N° | €     |
|---------|-------|
| 609-007 | 20,51 |





**600**

Hexagonale Courte

**9**

Pcs



1,5•2•2,5•3•4•5•6•8•10 mm

| Part N° | €     |
|---------|-------|
| 600-009 | 16,71 |

**603**

Hexagonale Courte Tête Sphérique

**9**

Pcs



1,5•2•2,5•3•4•5•6•8•10 mm

| Part N° | €     |
|---------|-------|
| 603-009 | 22,37 |

**SAE**



1/16•5/64•3/32•1/8•5/32•3/16•1/4•5/16•3/8"


| Part N° | €     |
|---------|-------|
| 600-002 | 16,71 |

**606**

Torx Courte

**9**

Pcs



T10•T15•T20•T25•T27•T30•T40•T45•T50


| Part N° | €     |
|---------|-------|
| 606-009 | 32,73 |

**609**

Torx Sécurité Courte

**9**

Pcs



TS10•TS15•TS20•TS25•TS27•TS30•TS40•TS45•TS50

| Part N° | €     |
|---------|-------|
| 609-009 | 39,70 |

# Clés Mâles

Jeux de Clés Mâles



**602**

Hexagonale Extra-Longue

**9**

Pcs



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N° | €     |
|---------|-------|
| 602-009 | 25,19 |

**605**

Hexagonale Extra-Longue Tête Sphérique

**9**

Pcs



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N° | €     |
|---------|-------|
| 605-009 | 34,15 |

**SAE**



1/16 • 5/64 • 3/32 • 1/8 • 5/32 • 3/16 • 1/4 • 5/16 • 3/8"


| Part N° | €     |
|---------|-------|
| 605-002 | 34,11 |

**608**

Torx Extra-Longue

**9**

Pcs



T10 • T15 • T20 • T25 • T27 • T30 • T40 • T45 • T50

| Part N° | €     |
|---------|-------|
| 608-009 | 48,12 |

**611**

Torx Sécurité Extra-Longue

**9**

Pcs



TS10 • TS15 • TS20 • TS25 • TS27 • TS30 • TS40 • TS45 • TS50

| Part N° | €     |
|---------|-------|
| 611-009 | 56,18 |

**605**


Hexagonale Extra-Longue Tête Sphérique

**9**

Pcs



**S2**



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N° | €     |
|---------|-------|
| 605-069 | 37,62 |

**608**

Torx Extra-Longue

**9**

Pcs



**S2**



T10 • T15 • T20 • T25 • T27 • T30 • T40 • T45 • T50

| Part N° | €     |
|---------|-------|
| 608-069 | 44,38 |

**607**

Hexagonale Extra-Longue Tête Sphérique

**9**

Pcs



**OX**



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N° | €     |
|---------|-------|
| 607-079 | 30,34 |

| Part N° | €     |
|---------|-------|
| 610-079 | 38,86 |



**607**

Hexagonale Extra-Longue Tête Sphérique

**9**

Pcs



**OX**



1,5 • 2 mm



2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N° | €     |
|---------|-------|
| 607-089 | 33,00 |

# Jeux De Clés Mâles

**ProFIX**  
by DOGHER TOOLS

- Grâce au design spécial ProFIX le maintien est total entre la clé et la vis, ce qui permet de travailler à une seule main.
- Le nouveau design ProFIX apporte une surface de contact supérieure qui permet de travailler également avec des vis abîmées.



**602**

Hexagonale Extra-Longue

**9**

Pcs



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm



Part N°

€

**602-109**

**38,43**

**608**

Torx

**9**

Pcs



T8 • T9 • T10 • T15 • T20 • T25 • T27 • T30 • T40



Part N°

€

**608-109**

**44,59**

**605**

Hexagonale Extra-Longue Tête Sphérique

**15**

Pcs



1,27 • 1,5 • 2 • 2,5 • 3 • 3,5 • 4 • 4,5 • 5 • 5,5 • 6 • 7 • 8 • 9 • 10 mm

Part N°

€

**605-089**

**60,56**



**600**

Hexagonale Courte

**7**  
Pcs



2,2,5•3•4•5•6•8 mm

| Part N° | €     |
|---------|-------|
| 600-027 | 11,20 |

**600**

Hexagonale Courte

**9**  
Pcs



1,5•2•2,5•3•4•5•6•8•10 mm

| Part N° | €     |
|---------|-------|
| 600-029 | 14,90 |

### Jeux de Clés Mâles option en T

**602**

Hexagonale Extra-Longue

**7**  
Pcs



1,5•2•2,5•3•4•5•6 mm

| Part N° | €     |
|---------|-------|
| 602-037 | 20,73 |

**605**

Hexagonale Extra-Longue Tête Sphérique

**7**  
Pcs



1,5•2•2,5•3•4•5•6 mm

| Part N° | €     |
|---------|-------|
| 605-037 | 22,81 |

# Clés Mâles

Jeux de Clés Mâles sur Monture



**600**

Hexagonale Courte

**8**

Pcs



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 mm

| Part N° | €     |
|---------|-------|
| 600-018 | 21,23 |

**603**

Hexagonale Courte Tête Sphérique

**8**

Pcs



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 mm

| Part N° | €      |
|---------|--------|
| 603-018 | 28,97* |

\* Jusqu'à fin des stocks

**606**

Torx Courte

**8**

Pcs



T9 • T10 • T15 • T20 • T25 • T27 • T30 • T40


| Part N° | €     |
|---------|-------|
| 606-018 | 32,73 |

**609**

Torx Sécurité Courte

**8**

Pcs



TS9 • TS10 • TS15 • TS20 • TS25 • TS27 • TS30 • TS40

| Part N° | €     |
|---------|-------|
| 609-018 | 35,64 |



# Clés Mâles



## Présentoirs de Comptoir de Jeux de Clés Mâles

**EXP**

Présentoir avec 10 Jeux de Clés Mâles

**10**  
Pcs



230 x 210 x 155mm




1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N°  | €      |
|----------|--------|
| 602-009J | 251,90 |



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N°  | €      |
|----------|--------|
| 605-009J | 341,50 |



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N°  | €      |
|----------|--------|
| 605-069J | 376,20 |



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N°  | €      |
|----------|--------|
| 607-079J | 303,40 |



**10**  
Pcs



230 x 210 x 155mm



**EXP**

Présentoir avec 5 Jeux de Clés Mâles

**5**  
Pcs



160 x 190 x 125 mm




1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N°  | €     |
|----------|-------|
| 600-009J | 83,55 |



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 • 10 mm

| Part N°  | €      |
|----------|--------|
| 603-009J | 111,85 |



# Clés Mâles

Présentoirs de Jeux de Clés Mâles



**EXP**

Présentoir de 12 Jeux de Clés Mâles Sur Monture

**12**  
Pcs



230 x 210 x 155 mm

**600**

Hexagonales



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 mm



| Part N°  | €      |
|----------|--------|
| 600-018J | 254,76 |

**603**

Hexagonales Tête Sphérique



1,5 • 2 • 2,5 • 3 • 4 • 5 • 6 • 8 mm



| Part N°  | €       |
|----------|---------|
| 603-018J | 347,64* |

\* Jusqu'à fin des stocks

**606**

Torx



T9 • T10 • T15 • T20 • T25 • T27 • T30 • T40




| Part N°  | €      |
|----------|--------|
| 606-018J | 392,76 |

**609**

Torx Sécurité




TS9 • TS10 • TS15 • TS20  
TS25 • TS27 • TS30 • TS40



| Part N°  | €      |
|----------|--------|
| 609-018J | 427,68 |

**617**

Hexagonale



| mm  | L1 mm | Part N°  | €     |
|-----|-------|----------|-------|
| 1,5 | 80    | 617-01,5 | 8,26  |
| 2   | 90    | 617-02   | 8,26  |
| 2,5 | 100   | 617-02,5 | 8,40  |
| 3   | 115   | 617-03   | 8,51  |
| 4   | 120   | 617-04   | 10,19 |
| 5   | 140   | 617-05   | 11,05 |
| 6   | 160   | 617-06   | 11,78 |
| 7   | 170   | 617-07   | 15,49 |
| 8   | 175   | 617-08   | 15,89 |
| 9   | 185   | 617-09   | 18,38 |
| 10  | 200   | 617-10   | 18,64 |
| 12  | 225   | 617-12   | 33,62 |

**618**

Hexagonale Tête Sphérique



| mm  | L1 mm | Part N°  | €     |
|-----|-------|----------|-------|
| 1,5 | 80    | 618-01,5 | 8,26  |
| 2   | 90    | 618-02   | 8,26  |
| 2,5 | 100   | 618-02,5 | 8,40  |
| 3   | 115   | 618-03   | 8,51  |
| 4   | 120   | 618-04   | 10,19 |
| 5   | 140   | 618-05   | 11,05 |
| 6   | 160   | 618-06   | 11,78 |
| 7   | 170   | 618-07   | 15,49 |
| 8   | 175   | 618-08   | 15,89 |
| 9   | 185   | 618-09   | 18,38 |
| 10  | 200   | 618-10   | 19,70 |
| 12  | 225   | 618-12   | 33,62 |

**SAE**

| mm   | L1 mm | Part N°   | €     |
|------|-------|-----------|-------|
| 3/32 | 100   | 6117-3/32 | 12,50 |
| 7/64 | 115   | 6117-7/64 | 12,50 |
| 1/8  | 115   | 6117-1/8  | 12,50 |
| 9/64 | 120   | 6117-9/64 | 12,71 |
| 5/32 | 120   | 6117-5/32 | 12,89 |
| 3/16 | 140   | 6117-3/16 | 15,41 |
| 7/32 | 150   | 6117-7/32 | 16,74 |
| 1/4  | 160   | 6117-1/4  | 17,83 |
| 5/16 | 175   | 6117-5/16 | 21,34 |
| 3/8  | 200   | 6117-3/8  | 23,41 |


# Clés Mâles

Clés en "T"



619


Torx



|  mm | L1 mm | Part N°        | €            |
|--------------------------------------------------------------------------------------|-------|----------------|--------------|
| <b>T9</b>                                                                            | 90    | <b>619-T09</b> | <b>8,80</b>  |
| <b>T10</b>                                                                           | 100   | <b>619-T10</b> | <b>8,80</b>  |
| <b>T15</b>                                                                           | 115   | <b>619-T15</b> | <b>8,89</b>  |
| <b>T20</b>                                                                           | 120   | <b>619-T20</b> | <b>9,12</b>  |
| <b>T25</b>                                                                           | 130   | <b>619-T25</b> | <b>10,80</b> |
| <b>T27</b>                                                                           | 140   | <b>619-T27</b> | <b>11,07</b> |
| <b>T30</b>                                                                           | 150   | <b>619-T30</b> | <b>11,10</b> |
| <b>T40</b>                                                                           | 160   | <b>619-T40</b> | <b>11,76</b> |
| <b>T45</b>                                                                           | 175   | <b>619-T45</b> | <b>12,54</b> |
| <b>T50</b>                                                                           | 200   | <b>619-T50</b> | <b>20,26</b> |
| <b>T55</b>                                                                           | 225   | <b>619-T55</b> | <b>25,30</b> |

620


Torx Sécurité



|  mm | L1 mm | Part N°         | €            |
|----------------------------------------------------------------------------------------|-------|-----------------|--------------|
| <b>TS9</b>                                                                             | 90    | <b>620-TS09</b> | <b>8,96</b>  |
| <b>TS10</b>                                                                            | 100   | <b>620-TS10</b> | <b>9,74</b>  |
| <b>TS15</b>                                                                            | 115   | <b>620-TS15</b> | <b>9,98</b>  |
| <b>TS20</b>                                                                            | 120   | <b>620-TS20</b> | <b>10,07</b> |
| <b>TS25</b>                                                                            | 130   | <b>620-TS25</b> | <b>11,95</b> |
| <b>TS27</b>                                                                            | 140   | <b>620-TS27</b> | <b>12,24</b> |
| <b>TS30</b>                                                                            | 150   | <b>620-TS30</b> | <b>12,26</b> |
| <b>TS40</b>                                                                            | 160   | <b>620-TS40</b> | <b>13,02</b> |
| <b>TS45</b>                                                                            | 175   | <b>620-TS45</b> | <b>13,86</b> |
| <b>TS50</b>                                                                            | 200   | <b>620-TS50</b> | <b>22,39</b> |
| <b>TS55</b>                                                                            | 225   | <b>620-TS55</b> | <b>27,96</b> |

621


Douille Hexagonale



|  mm | L1 mm | L mm | Ø1 mm | Part N°         | €            |
|----------------------------------------------------------------------------------------|-------|------|-------|-----------------|--------------|
| <b>4</b>                                                                               | 230   | 7    | 8     | <b>621-04</b>   | <b>13,17</b> |
| <b>5</b>                                                                               | 230   | 9    | 10    | <b>621-05</b>   | <b>13,17</b> |
| <b>5,5</b>                                                                             | 230   | 9    | 10    | <b>621-05,5</b> | <b>13,17</b> |
| <b>6</b>                                                                               | 230   | 9    | 11    | <b>621-06</b>   | <b>13,17</b> |
| <b>7</b>                                                                               | 230   | 14   | 12    | <b>621-07</b>   | <b>13,17</b> |
| <b>8</b>                                                                               | 230   | 12   | 13    | <b>621-08</b>   | <b>13,65</b> |
| <b>9</b>                                                                               | 230   | 14   | 14    | <b>621-09</b>   | <b>13,65</b> |
| <b>10</b>                                                                              | 230   | 14   | 14    | <b>621-10</b>   | <b>15,22</b> |
| <b>11</b>                                                                              | 230   | 14   | 16    | <b>621-11</b>   | <b>15,22</b> |
| <b>12</b>                                                                              | 230   | 14   | 17    | <b>621-12</b>   | <b>16,82</b> |
| <b>13</b>                                                                              | 230   | 15   | 18    | <b>621-13</b>   | <b>16,82</b> |
| <b>14</b>                                                                              | 230   | 16   | 19    | <b>621-14</b>   | <b>17,98</b> |

**623**


Clé à Glissement Trois Points Hexagonale



| mm         | L1 mm | L2 mm | Part N°         | €            |
|------------|-------|-------|-----------------|--------------|
| <b>2</b>   | 125   | 65    | <b>623-02</b>   | <b>16,49</b> |
| <b>2,5</b> | 125   | 65    | <b>623-02,5</b> | <b>16,49</b> |
| <b>3</b>   | 125   | 65    | <b>623-03</b>   | <b>16,49</b> |
| <b>4</b>   | 180   | 90    | <b>623-04</b>   | <b>17,51</b> |
| <b>5</b>   | 180   | 90    | <b>623-05</b>   | <b>19,49</b> |
| <b>6</b>   | 210   | 105   | <b>623-06</b>   | <b>22,99</b> |
| <b>8</b>   | 250   | 125   | <b>623-08</b>   | <b>24,53</b> |
| <b>10</b>  | 300   | 145   | <b>623-10</b>   | <b>29,90</b> |
| <b>12</b>  | 320   | 165   | <b>623-12</b>   | <b>36,58</b> |
| <b>14</b>  | 340   | 170   | <b>623-14</b>   | <b>45,36</b> |

**623**

Clé à Glissement Trois Points Torx



|            | L1 mm | L2 mm | Part N°        | €            |
|------------|-------|-------|----------------|--------------|
| <b>T10</b> | 125   | 65    | <b>623-T10</b> | <b>19,41</b> |
| <b>T15</b> | 125   | 65    | <b>623-T15</b> | <b>19,41</b> |
| <b>T20</b> | 125   | 65    | <b>623-T20</b> | <b>19,41</b> |
| <b>T25</b> | 180   | 90    | <b>623-T25</b> | <b>23,77</b> |
| <b>T27</b> | 180   | 90    | <b>623-T27</b> | <b>23,77</b> |
| <b>T30</b> | 180   | 90    | <b>623-T30</b> | <b>23,77</b> |
| <b>T40</b> | 210   | 105   | <b>623-T40</b> | <b>26,07</b> |
| <b>T45</b> | 250   | 125   | <b>623-T45</b> | <b>30,44</b> |
| <b>T50</b> | 250   | 125   | <b>623-T50</b> | <b>30,44</b> |
| <b>T55</b> | 300   | 145   | <b>623-T55</b> | <b>33,48</b> |
| <b>T60</b> | 320   | 165   | <b>623-T60</b> | <b>41,23</b> |




# Clés Mâles

Jeux de Clés en "T"



6230


Clé à Glissement Trois Points Hexagonale



| mm         | L1 mm | L2 mm | Part N°          | €            |
|------------|-------|-------|------------------|--------------|
| <b>2</b>   | 125   | 65    | <b>6230-02</b>   | <b>17,31</b> |
| <b>2,5</b> | 125   | 65    | <b>6230-02,5</b> | <b>17,31</b> |
| <b>3</b>   | 125   | 65    | <b>6230-03</b>   | <b>17,31</b> |
| <b>4</b>   | 180   | 90    | <b>6230-04</b>   | <b>18,39</b> |
| <b>5</b>   | 180   | 90    | <b>6230-05</b>   | <b>20,46</b> |
| <b>6</b>   | 210   | 105   | <b>6230-06</b>   | <b>24,14</b> |
| <b>8</b>   | 250   | 125   | <b>6230-08</b>   | <b>25,76</b> |
| <b>10</b>  | 300   | 145   | <b>6230-10</b>   | <b>31,40</b> |
| <b>12</b>  | 320   | 165   | <b>6230-12</b>   | <b>38,41</b> |
| <b>14</b>  | 340   | 170   | <b>6230-14</b>   | <b>47,63</b> |

6230

Clé à Glissement Trois Points Torx



|            | L1 mm | L2 mm | Part N°         | €            |
|------------|-------|-------|-----------------|--------------|
| <b>T10</b> | 125   | 65    | <b>6230-T10</b> | <b>20,38</b> |
| <b>T15</b> | 125   | 65    | <b>6230-T15</b> | <b>20,38</b> |
| <b>T20</b> | 125   | 65    | <b>6230-T20</b> | <b>20,38</b> |
| <b>T25</b> | 180   | 90    | <b>6230-T25</b> | <b>24,96</b> |
| <b>T27</b> | 180   | 90    | <b>6230-T27</b> | <b>24,96</b> |
| <b>T30</b> | 180   | 90    | <b>6230-T30</b> | <b>24,96</b> |
| <b>T40</b> | 210   | 105   | <b>6230-T40</b> | <b>27,37</b> |
| <b>T45</b> | 250   | 125   | <b>6230-T45</b> | <b>31,96</b> |
| <b>T50</b> | 250   | 125   | <b>6230-T50</b> | <b>31,96</b> |
| <b>T55</b> | 300   | 145   | <b>6230-T55</b> | <b>35,15</b> |
| <b>T60</b> | 320   | 165   | <b>6230-T60</b> | <b>43,29</b> |

**617**


Hexagonale

**8**

Pcs



215 x 50 x 270 mm



2•2,5•3•4•5•6•8•10 mm

| Part N° | €      |
|---------|--------|
| 617-001 | 100,97 |

**618**

Hexagonale Tête Sphérique

**8**

Pcs



215 x 50 x 270 mm



2•2,5•3•4•5•6•8•10 mm

| Part N° | €      |
|---------|--------|
| 618-001 | 102,03 |

**618**

Hexagonale Tête Sphérique

**9**

Pcs



215 x 50 x 270 mm



1,5•2•2,5•3•4•5•6•8•10 mm

| Part N° | €      |
|---------|--------|
| 618-050 | 110,29 |

# Clés Mâles

Présentoirs de Clés en "T"



619

Torx

9

Pcs



215 x 50 x 270 mm



T10•T15•T20•T25•T27•T30•T40•T45•T50

Part N°

€

619-001

112,59

620


Torx Sécurité

9

Pcs



215 x 50 x 270 mm



TS10•TS15•TS20•TS25•TS27•TS30•TS40•TS45•TS50

Part N°

€

620-001

123,76

621

Douille Hexagonale

6

Pcs



180 x 50 x 270 mm



6•8•10•12•13•14 mm

Part N°

€

621-001

101,91